

Docket No.: K-0586

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
Jong Chul BANG

Serial No.: 10/721,179

Filed: November 26, 2003

Confirmation No.: 6624

For DRYER

U.S. Patent and Trademark Office
Customer Window, Mail Stop AF
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.


- ☒ No additional fee is required.
☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	32	32		x \$50.00 =	
Independent Claims	3	3		x \$200.00=	
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$0.00


- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$ _____ (Check # _____) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP


Carol L. Druzick
Registration No. 40,287
Joanna K. Mason
Registration No. 56,408

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK:CLD:JKM/cah
Date: April 5, 2005
Q:\Documents\2016-701\61847

Docket No.: K-0586



Corres. and Mail
BOX AF
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

**EXPEDITED PROCEDURE
UNDER 37 C.F.R. §1.116**

Jong Chul BANG

Serial No.: 10/721,179

Group Art Unit: 3749

Confirmation No.: 6624

Examiner: Kenneth RINEHART

Filed: November 26, 2003

Customer No.: 34610

For: DRYER

REPLY AND/OR AMENDMENT
UNDER 37 C.F.R. §1.116

U.S. Patent and Trademark Office
220 20th Street South
Customer Window, Mail Stop AF
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In reply to the Final Office Action dated January 5, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Drawings begin on page 3 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Remarks/Arguments begin on page 4 of this paper.